

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10051	((600/201-211) or (606/190-198) or (604/104-113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:48
L2	4220	L1 and retract\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L3	125	L2 and (rib with spread\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L4	353	L2 and ((support or foot or toe or arm) with (vertical\$4 or up or lift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L5	570	L1 and (retract\$4 with ((separat\$4 or retract\$4) with (lift or up or vertical\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L6	825	L3 or L4 or L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L7	606	L6 and (lock\$4 or fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L8	3155424	arm or leg or blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48

EAST Search History

L9	30069	retractor or dilator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L10	4181	L9 with L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L11	5849932	support or frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L12	4866	L9 with L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L13	1625	L12 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L14	1891011	foot or stand or anchor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L15	1221164	lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L16	28914	L14 with L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48

EAST Search History

L17	59	L13 and L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L18	3767556	actuator or mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L19	393457	L8 with L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L20	708	L13 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L21	1225698	lift or raise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L22	107	L20 and (L21 with L8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L23	3	method and retractor and (frame or support) and ((blades or arms or legs) with (frame or support)) and ((blades or legs or arms) with (vane or throat or groove)) and ((actuator or mechanism) with (move or pivot or separate)) and ((foot or support or leg or stand) with (frame or support)) and ((foot or leg or stand) with (vertical\$4 or up, or raise or lift)) and (lock\$4 with (foot or leg or stand)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48

EAST Search History

L24	1	(rib with retractor) and (frame or support) and ((blades or arms or legs) with (frame or support)) and (rotatable with (connector or coupling)) and ((blades or legs or arms) with (vane or throat or groove)) and ((actuator or mechanism) with (move or pivot or separate)) and ((foot or support or leg or stand) with (frame or support)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L25	0	(rib with retractor) and (frame or support) and ((blades or arms or legs) with (frame or support)) and (rotatable with (connector or coupling)) and (((blades or legs or arms) and (shoe or leg or foot or stand)) with lock\$4) and ((actuator or mechanism or drive) with (move or pivot or separate or spread)) and (((shoe or foot or support or leg or stand) with (offset with drive)) with (up or upward or vertical\$4 or raise or lift)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L26	2	(method with retract\$) and ((blades or arms or legs) with (wound or incision)) and ((blades or arms or legs) with (spread\$ or retractor or dilator or frame or support)) and (((shoe or foot or stand) with (coupl\$4 or attach\$4 or connect\$4)) with (spread\$ or retractor or dilator or frame or support)) and ((fix\$4 or lock\$4) with (foot or shoe or stand)) and ((mov\$4 or spread\$4 or retract\$4 or dilat\$4) with (blades or arms or legs)) and (((lift or raise or vertical\$4) with (side or part or portion)) with (incision or wound)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L27	2	("5984867").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:48
L28	163	604/104-109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48

EAST Search History

L29	0	600/184-244	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L30	3907	(600/184-244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:48
L31	10168	((600/184-244) or (604/104-109) or (606/191-198)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:48
L32	10051	((600/201-211) or (606/190-198) or (604/104-113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:48
L33	4220	L32 and retract\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L34	125	L33 and (rib with spread\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L35	353	L33 and ((support or foot or toe or arm) with (vertical\$4 or up or lift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L36	570	L32 and (retract\$4 with ((separat\$4 or retract\$4) with (lift or up or vertical\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48

EAST Search History

L37	825	L34 or L35 or L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L38	606	L37 and (lock\$4 or fix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48
L39	5	retractor and (frame or support) and ((blades or arms or legs) with (frame or support)) and ((blades or legs or arms) with (vane or throat or groove)) and ((actuator or mechanism) with (move or pivot or separate)) and ((foot or support or leg or stand) with (frame or support)) and ((foot or leg or stand) with (vertical\$4 or up or raise or lift)) and (lock\$4 with (foot or leg or stand)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:48